



ELSEVIER

Analytica Chimica Acta 499 (2003) 235–237

**ANALYTICA
CHIMICA
ACTA**

www.elsevier.com/locate/aca

Author Index

- Aihara, M., see Hirata, S. 157
- Alan Wheatley, R., see Townshend, A. 223
- Ampan, P.
—, Ruzicka, J., Atallah, R., Christian, G.D., Jakmunee, J. and Grudpan, K.
Exploiting sequential injection analysis with bead injection and lab-on-valve for determination of lead using electrothermal atomic absorption spectrometry 167
- Aritsuka, K., see Tanaka, H. 199
- Atallah, R., see Ampan, P. 167
- Barnett, N.W., see Costin, J.W. 47
- Catalá Icardo, M.
—, García Mateo, J.V., Fernández Lozano, M. and Martínez Calatayud, J.
Enhanced flow-injection-chemiluminometric determination of sulphonamides by on-line photochemical reaction 57
- Chailapakul, O., see Palaharn, S. 191
- Chailapakul, O., see Siangproh, W. 183
- Charoenraks, T., see Palaharn, S. 191
- Chocholouš, P., see Šatínský, D. 205
- Choengchan, N.
—, Lukkanakul, K., Ratanawimarnwong, N., Waiyawat, W., Wilairat, P. and Nacapricha, D.
Use of pseudo-first order kinetics in flow injection for determination of trace inorganic iodine 115
- Chow, C.W.K.
—, Thomas, S.D., Davey, D.E., Mulcahy, D.E. and Drikas, M.
Development of an on-line electrochemical analyser for trace level aluminium 173
- Christian, G.D.
Flow analysis and its role and importance in the analytical sciences 5
- Christian, G.D., see Ampan, P. 167
- Chu, S.-Y., see Fuh, M.-R.S. 215
- Chuman, H., see Tanaka, H. 199
- Costin, J.W.
—, Barnett, N.W., Lewis, S.W. and McGillivray, D.J.
Monitoring the total phenolic/antioxidant levels in wine using flow injection analysis with acidic potassium permanganate chemiluminescence detection 47
- Dasgupta, P.K., see Tanaka, H. 199
- Davey, D.E., see Chow, C.W.K. 173
- Dias, A.C.B.
—, Santos, J.L.M., Lima, J.L.F.C. and Zagatto, E.A.G.
Multi-pumping flow system for spectrophotometric determination of bromhexine 107
- Downard, A.J.
—, Panther, J., Kim, Y.-C. and Powell, K.J.
Lability of metal ion-fulvic acid complexes as probed by FIA and DGT: a comparative study 17
- Drikas, M., see Chow, C.W.K. 173
- Ellis, P.S.
—, Lyddy-Meaney, A.J., Worsfold, P.J. and McKelvie, I.D.
Multi-reflection photometric flow cell for use in flow injection analysis of estuarine waters 81
- Fernández Lozano, M., see Catalá Icardo, M. 57
- Fletcher, P.J.
— and van Staden, J.F.
Determination of ethanol in distilled liquors using sequential injection analysis with spectrophotometric detection 123
- Fuh, M.-R.S.
— and Chu, S.-Y.
Quantitative determination of sulfonamide in meat by solid-phase extraction and capillary electrophoresis 215
- García Mateo, J.V., see Catalá Icardo, M. 57
- Gotoh, S.
—, Teshima, N., Sakai, T., Ida, K. and Ura, N.
Flow-injection simultaneous determination of copper and iron in patient sera with 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino)aniline and its application to disease diagnosis 91
- Grudpan, K., see Ampan, P. 167
- Grudpan, K., see Palaharn, S. 191
- Hansen, E.H., see Wang, J. 139
- Hirata, S.
—, Kajiya, T., Takano, N., Aihara, M., Honda, K., Shikino, O. and Nakayama, E.
Determination of trace metals in seawater by on-line column preconcentration inductively coupled plasma mass spectrometry using metal alkoxide glass immobilized 8-quinolinol 157
- Honda, K., see Hirata, S. 157

- Hong, H.-C.
— and Huang, H.-J.
Flow injection analysis of uric acid with a uricase- and horse-radish peroxidase-coupled Sepharose column based luminol chemiluminescence system 41
- Huang, H.-J., see Hong, H.-C. 41
- Huclová, J., see Solich, P. 9
- Ida, K., see Gotoh, S. 91
- Jakmunee, J., see Ampan, P. 167
- Jitmanee, K., see Motomizu, S. 149
- Kajiya, T., see Hirata, S. 157
- Karlíček, R., see Šatinský, D. 205
- Kim, Y.-C., see Downard, A.J. 17
- Lewis, S.W., see Costin, J.W. 47
- Liawruangrath, S., see Townshend, A. 223
- Lima, J.L.F.C., see Dias, A.C.B. 107
- Lukkanakul, K., see Choengchan, N. 115
- Lyddy-Meaney, A.J., see Ellis, P.S. 81
- Marshall, G.
—, Wolcott, D. and Olson, D.
Zone fluidics in flow analysis: potentialities and applications 29
- Martínez Calatayud, J., see Catalá Icardo, M. 57
- McGillivray, D.J., see Costin, J.W. 47
- McKelvie, I., see Barnett, N. 1
- McKelvie, I.D., see Ellis, P.S. 81
- Miró, M., see Wang, J. 139
- Motomizu, S.
—, Jitmanee, K. and Oshima, M.
On-line collection/concentration of trace metals for spectroscopic detection via use of small-sized thin solid phase (STSP) column resin reactors. Application to speciation of Cr(III) and Cr(VI) 149
- Mulaudzi, L.V., see van Staden, J.F. 129
- Mulcahy, D.E., see Chow, C.W.K. 173
- Nacaprícha, D., see Choengchan, N. 115
- Nakayama, E., see Hirata, S. 157
- Olson, D., see Marshall, G. 29
- Oshima, M., see Motomizu, S. 149
- Palaharn, S.
—, Charoenraks, T., Wangfuengkanagul, N., Grudpan, K. and Chailapakul, O.
Flow injection analysis of tetracycline in pharmaceutical formulation with pulsed amperometric detection 191
- Panther, J., see Downard, A.J. 17
- Powell, K.J., see Downard, A.J. 17
- Rangel, A.O.S.S., see Segundo, M.A. 99
- Ratanawimarnwong, N., see Choengchan, N. 115
- Rhee, J.I.
— and Sohn, O.-J.
Flow injection system for on-line monitoring of fumaric acid in biological processes 71
- Ruzicka, J., see Ampan, P. 167
- Sakai, T., see Gotoh, S. 91
- Santos, J.L.M., see Dias, A.C.B. 107
- Šatinský, D., see Solich, P. 9
- Šatinský, D.
—, Solich, P., Chocholouš, P. and Karlíček, R.
Monolithic columns—a new concept of separation in the sequential injection technique 205
- Schaefer, U.F., see Solich, P. 9
- Segundo, M.A.
— and Rangel, A.O.S.S.
Kinetic determination of L(-)-malic acid in wines using sequential injection analysis 99
- Shikino, O., see Hirata, S. 157
- Siangproh, W.
—, Wangfuengkanagul, N. and Chailapakul, O.
Electrochemical oxidation of tiopronin at diamond film electrodes and its determination by amperometric flow injection analysis 183
- Sklenářová, H., see Solich, P. 9
- Sohn, O.-J., see Rhee, J.I. 71
- Solich, P., see Šatinský, D. 205
- Solich, P.
—, Sklenářová, H., Huclová, J., Šatinský, D. and Schaefer, U.F.
Fully automated drug liberation apparatus for semisolid preparations based on sequential injection analysis 9
- Stefan, R.I., see van Staden, J.F. 129
- Tachibana, T., see Tanaka, H. 199
- Takano, N., see Hirata, S. 157
- Tanaka, H.
—, Aritsuka, K., Tachibana, T., Chuman, H. and Dasgupta, P.K.
Determination of dissociation constants of weak acids by feedback-based flow ratiometry 199
- Teshima, N., see Gotoh, S. 91
- Thomas, S.D., see Chow, C.W.K. 173
- Townshend, A.
—, Youngvises, N., Alan Wheatley, R. and Liawruangrath, S.
Flow-injection determination of cinnarizine using surfactant-enhanced permanganate chemiluminescence 223
- Ura, N., see Gotoh, S. 91
- van Staden, J.F.
—, Mulaudzi, L.V. and Stefan, R.I.
Speciation of Mn(II) and Mn(VII) by on-line spectrophotometric sequential injection analysis 129
- van Staden, J.F., see Fletcher, P.J. 123
- Waiyawat, W., see Choengchan, N. 115

Wang, J.

—, Hansen, E.H. and Miró, M.

Sequential injection-bead injection-lab-on-valve schemes for on-line solid phase extraction and preconcentration of ultra-trace levels of heavy metals with determination by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry 139

Wangfuengkanagul, N., see Palaharn, S. 191

Wangfuengkanagul, N., see Siangproh, W. 183

Wilairat, P., see Choengchan, N. 115

Wolcott, D., see Marshall, G. 29

Worsfold, P.J., see Ellis, P.S. 81

Youngvises, N., see Townshend, A. 223

Zagatto, E.A.G., see Dias, A.C.B. 107